

**APPOINTMENT INFORMATION** Appointment Date: \_\_\_\_\_ Check-in Time: \_\_\_\_\_ Appointment Time: \_\_\_\_\_

Check Appropriate Site  
See Map On Back

**Squalicum Parkway**  
2930 Squalicum Parkway, Suite 101

**Cordata Parkway @ PeaceHealth Medical Group**  
4545 Cordata Parkway, Lower Level Suite 4

1

### PATIENT INFORMATION (please print)

Name: \_\_\_\_\_

DOB: \_\_\_\_\_ Telephone(s): \_\_\_\_\_

Referring M.D.: \_\_\_\_\_ CC: \_\_\_\_\_

Primary Insurance Name: \_\_\_\_\_

Comparison Films:  Patient Bring  Office Will Send  None

Pregnant:  Yes  No

PATIENT PREP INFORMATION ON BACK

2

### EXAM TYPE - Please mark one or more of the following:

#### Head/Neck

- Head
- Sinus
- Soft Tissue Neck
- Temporal Bones
- Facial Bones
- Orbits
- TMJ/Mandible

#### Body/Trunk

- Chest
- PE Protocol
- Chest for Interstitial Lung Disease
- Abdomen & Pelvis
- Pelvis (only)
- Do Not Scan Pelvis (See Note)
- Pancreas
- Liver (4-phase)
- Renal Mass
- Kidney Stone (CT KUB)
- CT Urography (CT IVP)
- Adrenal
- CT Enterography (small bowel)
- Virtual Colonoscopy (Colon)

#### Spine w/ Recons

- Cervical
- Thoracic
- Lumbar

#### Screening Exams

- Coronary Artery Calcium Scoring

#### Extremity

- (specify) \_\_\_\_\_

#### Other

- (specify) \_\_\_\_\_

#### CTA - CT Angiography

- Coronary (Cardiac CTA)
- Brain (Circle of Willis)
- Carotids
- Carotids & Brain (Circle of Willis)
- Pulmonary Arteries (PE Protocol)
- Renal Arteries
- Mesenteric Arteries
- Thoracic Aorta (Dissection)
- Thoracic Aorta (Aneurysm)
- AAA Eval. (Aorta to Iliac)
- AAA Eval. Post Endograft
- Lower Extremity Runoff
- Other (specify) \_\_\_\_\_

### CONTRAST INSTRUCTIONS

• Contrast use per radiologist exam protocol instructions unless stated otherwise  
**Special instructions:** \_\_\_\_\_

- Recommended CT ordering guidelines on back of form
- Providers are welcome to call a radiologist at 733-0430 for additional exam ordering information

Note: "Abdomen only" orders require specific ICD9 codes. Please call 733-0430 if you have any questions

#### CAUTION:

Current (within 45 days) creatinine test required for patients with **any** of the following;

- Over the age of 65
- Diabetic
- History of renal insufficiency

3

### EXAM INFORMATION

Creatinine Value: \_\_\_\_\_ Date Drawn: \_\_\_\_\_

**Symptoms**/Clinical Indications/History: (Disease Injury, Pain, Pathology, Signs and/or Symptoms; **No "Rule out"**):

Additional instructions/Specific area of interest for the Radiologist (optional): \_\_\_\_\_


**X** \_\_\_\_\_  
 Provider Signature Required

Stat Report Desired  
 Direct line (preferably cell phone) number required \_\_\_\_\_

**Note: On occasion, the Radiologist may request an additional or different area to be scanned based on the Symptoms/Clinical Indications/History Provided, or Exam Findings. A new order may be requested.**

**LOCATION MAP**

**Cordata Parkway  
 @ PeaceHealth Medical Group**  
 4545 Cordata Parkway  
 Lower Level Suite 4



**Squalicum Parkway**  
 2930 Squalicum Parkway  
 Suite 101



**CT Ordering Guidelines: A brief reference**

| Indication  | CT Order  |
|---|---|
| Suspected pulmonary nodule  | CT chest without contrast   |
| Suspected pulmonary mass  | CT chest with contrast  |
| Suspected adenopathy in chest   | CT chest with contrast  |
| Possible Appendicitis   | CT abdomen and pelvis with IV and Oral contrast (see notes 1 & 2 below)   |
| RLQ pain  | CT abdomen and pelvis with IV and Oral contrast (see notes 1 & 2 below)   |
| LLQ Pain  | CT abdomen and pelvis with IV and Oral contrast (see notes 1 & 2 below)   |
| Evaluation of GI tract abnormality (Including: appendicitis, diverticulitis, enteritis, colitis, IBD) | CT abdomen and pelvis with IV and Oral contrast (see notes 1 & 2 below)   |
| RUQ pain  | CT abdomen and pelvis with IV and Oral contrast (see notes 1 & 2 below)<br>Pelvis not absolutely necessary, but oftentimes helpful in evaluation of contiguous peritoneal and unsuspected GI tract/gynecologic disease processes. |
| LUQ pain  | CT abdomen and pelvis with IV and Oral contrast (see notes 1 & 2 below)<br>Pelvis not absolutely necessary, but oftentimes helpful in evaluation of contiguous peritoneal and unsuspected GI tract/gynecologic disease processes. |
| Flank Pain  | CT abdomen and pelvis without contrast  |
| Painless Hematuria  | CT IVP  |
| Evaluation of Indeterminate renal lesion (solid or cystic)  | CT renal mass (CT abdomen with and without contrast)  |
| Evaluation of indeterminate liver lesion (solid or cystic)  | CT liver (CT abdomen with and without contrast)   |
| Evaluation of indeterminate pancreatic lesion (solid or cystic)                                       | CT pancreas (CT abdomen with and without contrast)  |
| Evaluation of suspected pancreatitis  | CT abdomen and pelvis with IV and oral (water) contrast   |

Notes:  
 1. Can be done without oral contrast in certain circumstances  
 2. Can be done without IV contrast if patient has iodine allergy or poor renal function (Cr ≥ 1.5)

**Patients receiving an Abdomen & Pelvis Exam:**

- Proceed to 2930 Squalicum Parkway, suite 101 or 4545 Cordata Parkway, lower level suite 4 for your oral prep kit and instructions. The prep must begin 4 hours prior to your exam time.
- Preparation for this exam will require you to drink a contrast agent (Barium Sulfate) at periodic intervals before your exam can be performed. This contrast agent will help visualize the small bowel and colon.

**NOTE: WITHOUT THIS PREPARATION, WE WILL BE UNABLE TO PROCEED WITH YOUR EXAM.**